

Mobile number: Allen Wang :0086 13791918989 (wechat /whatsapp)
 Email: info@hipadroller.com

Address: Room 1001 C building, Platinum Plaza, No.5 Wenling Road, Qingdao China

- Door Closers
- Floor Spring
- Casters
- Wheel

Automated Control & Accessories



- Weather Strip
- Glass Glue

Sealing & Glazing Technologies



We are a professional manufacturer of door and window hardware&systems.

Since 1998

QINGDAO HIPAD INTERNATIONAL TRADE CO.,LTD



Operation & Locking Systems

- Lock
- Handle
- Stainless Steel Handle
- Transmission Rod



Structural & Connection Solutions

- Hinge
- Roller
- Glass Clamp
- Sliding Stay
- Corner Joint

Table of contents



HIPAD GROUP	01
ROLLER	03
LOCK	15
HANDLE	17
SS HANDLE	19
Floor spring	23
Door closers	29
Glass clamp	31
Glass Handles	35
Hingles	37
Glass clamp	38
Corner joint	39
Weather Strip	41
Casters	43

HIPAD GROUP

One-stop professional supplier of window door accessories (rollers, locks, handles, hinges and other accessories) ,Bathroom Fitting System ,caster wheels, deep groove ball bearing products.

More than 5000 sets of abrasive tools,.

Accept small orders.


OEM offered for all kinds of injection Rollers & Bearings.

One-stop service (24 hours online service)

Free samples for quality testing.

Available to visit/inspect factory/office/ goods

Alibaba Gold Supplier's Certification



25+
Years Of Manufacturing Experience

5000+
Mold Sets for Quick Customization

60+
Injection MOLDING machines

SGS/BV
Certified for Quality Assurance

Roller

Color Customized

U/V/H/Round different shape customized

Fresh material: Nylon, Pa66, Pom, PP, PU, Pok as demand

Carbon steel/chrome steel/SS/aluminum alloy/zinc alloy



HDR 01



HDR 02



HDR 03



HDR 04



HDR 05



HDR 06



HDR 07



HDR 08



HDR 09



HDR 10



HDR 11



HDR 12



HDR 13



HDR 14



HDR 15



HDR 16



HDR 17



HDR 18



HDR 19



HDR 20



HDR 21



HDR 22



HDR 23



HDR 24



HDR 25



HDR 26



HDR 27



HDR 28



HDR 29



HDR 30



HDR 31



HDR 32



HDR 33



HDR 34



HDR 35



HDR 36



HDR 37



HDR 38



HDR 39



HDR 40



HDR 41



HDR 42



HDR 43



HDR 44



HDR 45



HDR 46



HDR 47



HDR 48



HDR 49



HDR 50



HDR 51



HDR 52



HDR 53



HDR 54



HDR 55



HDR 56



HDR 57



HDR 58



HDR 59



HDR 60



HDR 61



HDR 62



HDR 63



HDR 64



HDR 65



HDR 66



HDR 67



HDR 68



HDR 69



HDR 70



HDR 71



HDR 72



HDR 73



HDR 74



HDR 75



HDR 76



HDR 77



HDR 78



HDR 79



HDR 80



HDR 81



HDR 82



HDR 83



HDR 84



HDR 85



HDR 86



HDR 87



HDR 88



HDR 89



HDR 90



HDR 91



HDR 92



HDR 93



HDR 94



HDR 95



HDR 96



HDR 97



HDR 98



HDR 99



HDR 100



HDR 101



HDR 102



HDR 103



HDR 104



HDR 105



HDR 106



HDR 107



HDR 108



HDR 109



HDR 110



HDR 111



HDR 112



HDR 113



HDR 114



HDR 115



HDR 116





HDR 157



HDR 158



HDR 159



HDR 160



HDR 161



HDR 162



HDR 163



HDR 164



HDR 165



HDR 166



HDR 167



HDR 168



HDR 169



HDR 170



HDR 171



HDR 172



HDR 173



HDR 174



HDR 175



HDR 176



HDR 177



HDR 178



HDR 179



HDR 180



HDR 181



HDR 182



HDR 183



HDR 184



HDR 185



HDR 186



HDR 187



HDR 188



HDR 189



HDR 180



HDR 181



HDR 182



HDR 183



HDR 184



HDR 185



HDR 186



HDR 197



HDR 198



HDR 199



HDR 200



HDR 201



HDR 202



HDR 203



HDR 204



HDR 205



HDR 206



HDR 207



HDR 208



HDR 209



HDR 210



HDR 211



HDR 212



HDR 213



HDR 214



HDR 215



HDR 216



HDR 217



HDR 218



HDR 219



HDR 220



HDR 221



HDR 222



HDR 223



HDR 224



HDR 225



HDR 226



HDR 227



HDR 228



HDR 229



HDR 230



HDR 231



HDR 232



HDR 233



HDR 234



HDR 235



HDR 236

lock

We provide more than just protection; we offer an absolute commitment to peace of mind both inside and outside your space.



HDL 237



HDL 238



HDL 239



HDL 240



HDL 01



HDL 02



HDL 03



HDL 04



HDL 05



HDL 06



HDL 07



HDL 08



HDL 09



HDL 10



HDL 11



HDL 12



HDL 13



HDL 14



HDL 15



HDL 16



HDL 17



HDL 18



HDL 19



HDL 20



HDL 21



HDL 22



HDL 23



HDL 24



HDL 25



HDL 26



HDL 27



HDL 28



HDL 29



HDL 30



HDL 31



HDL 32

Handle

Our handles have an indestructible core beneath their elegant exterior. Made of high-strength alloy and internally reinforced, they ensure they remain stable even under frequent use and high torque.



HDH 01



HDH 02



HDH 03



HDH 04



HDH 05



HDH 06



HDH 07



HDH 08



HDH 09



HDH 10



HDH 11



HDH 12



HDH 13



HDH 14



HDH 15



HDH 16



HDH 17



HDH 18



HDH 19



HDH 20



HDH 21



HDH 22



HDH 23



HDH 24



HDH 25



HDH 26



HDH 27



HDH 28



HDH 29



HDH 30



HDH 31



HDH 32



HDH 33



HDH 34



HDH 35



HDH 36

SS Handle

Through fine brushed, mirrored or sandblasted treatments, we transform the coldness of stainless steel into a delicate and warm feeling that can be felt at your fingertips.



HSS 01

Color:
Bright, sanded, medium sand
Size(mm):
A:1500 B:1150 D:Φ35



HSS 02

Color:
Bright, sanded, medium sand
Size(mm):
A:1850 B:220 D:Φ25



HSS 03

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B: D:25*38
A:600 B: D:25*38
A:800 B: D:25*38



HSS 04

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B: D:20*40
A:600 B: D:20*40
A:800 B: D:20*40



HSS 05

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:15*30
A:600 B:400 D:15*30



HSS 06

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:10*40
A:600 B:400 D:10*40



HSS 07

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:Φ32
A:600 B:400 D:Φ32
A:800 B:500 D:Φ38



HSS 08

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:Φ32
A:600 B:400 D:Φ32
A:800 B:500 D:Φ38



HSS 09

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:Φ32
A:600 B:400 D:Φ32
A:800 B:500 D:Φ38



HSS 10

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:Φ32
A:600 B:400 D:Φ32
A:800 B:500 D:Φ38



HSS 11

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:10*40
A:600 B:400 D:10*40



HSS 12

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:Φ32
A:600 B:400 D:Φ32
A:800 B:500 D:Φ38



HSS 13

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:Φ32
A:600 B:400 D:Φ32
A:800 B:500 D:Φ38



HSS 17

Color:
Bright, sanded, medium sand
Size(mm):
A:600 B:568 D:Φ32
A:450 B:418 D:Φ32
A:300 B:275 D:Φ25



HSS 18

Color:
Bright, sanded, medium sand
Size(mm):
A:600 B:568 D:Φ32
A:450 B:418 D:Φ32
A:300 B:275 D:Φ25



HSS 19

Color:
Bright, sanded, medium sand
Size(mm):
A:300 B: / D:Φ25
A:450 B: / D:Φ32



HSS 14

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:19*38
A:600 B:400 D:19*38
A:800 B:400 D:25*45



HSS 15

Color:
Bright, sanded, medium sand
Size(mm):
A:450 B:300 D:20*40
A:600 B:400 D:20*40
A:800 B:500 D:20*40



HSS 16

Color:
Bright, sanded, medium sand
Size(mm):
A:400*200 B: / D:Φ19
A:50*250 B: / D:Φ25



HSS 20

Color: crystal
Size(mm):
A:450 B:300 D:Φ32
A:600 B:400 D:Φ32
A:800 B:500 D:Φ38



HSS 21

Color: crystal
Size(mm):
A:450 B:300 D:Φ38
A:600 B:400 D:Φ38



HSS 22

Color: Sanding, lens
Size(mm):
A:450 B:300 D:Φ32
A:600 B:400 D:Φ32
A:800 B:500 D:Φ38


Floor spring

Our floor springs undergo rigorous fatigue testing, lasting millions of times, to ensure they maintain excellent performance even under long-term, high-frequency use.




HDF 01

HIGH PRECISE FLOOR SPRING
高精密地弹簧




HDF 02

HIGH PRECISE FLOOR SPRING
高精密地弹簧




HDF 03

HIGH PRECISE FLOOR SPRING
高精密地弹簧




HDF 04

HIGH PRECISE FLOOR SPRING
高精密地弹簧



HDF 06

HIGH PRECISE FLOOR SPRING
高精密地弹簧




HDF 05

HIGH PRECISE FLOOR SPRING
高精密地弹簧




HDF 07


HIGH PRECISE FLOOR SPRING
高精密地弹簧




HDF 08
HIGH PRECISE FLOOR SPRING
高精度地弹簧




HDF 10
HIGH PRECISE FLOOR SPRING
高精度地弹簧



HDF 09
HIGH PRECISE FLOOR SPRING
高精度地弹簧



HDF 11
HIGH PRECISE FLOOR SPRING
高精度地弹簧




Door closers


We offer door closers with various installation options, including parallel installation and concealed installation, to meet your stringent requirements for aesthetics and structure.




HDC 03




HDC 01




HDC 04



HDC 02



HDC 05



Glass clamp

Glass clamps shouldn't be a limitation to your design, but a starting point for creativity. We offer a wide range of options, from classic U- and C-shaped to modern spherical and custom shapes.




HDG 03

Bevel circinal angle 135° bathroom glass clamp



HDG 04

Bevel circinal angle 90° Double side bathroom glass clamp



HDG 01

Bevel circinal angle 90° Single side bathroom glass clamp



HDG 02

Bevel circinal angle 90° Double side bathroom glass clamp




HDG 05


Bevel circinal angle 180° bathroom glass clamp



HDG 06

Bevel circinal angle 360° bathroom glass clamp






HDG 07

Square fastness clamp 0°




HDG 08

Square fastness clamp 90° single




HDG 09

Square fastness clamp 0° double




HDG 10

Square fastness clamp 135° single




HDG 11

Square fastness clamp 135° double




HDG 12

Square fastness clamp 180° single




HDG 13

Square fastness clamp 180° double




HDG 14

T-type Glass fastness clamp




HDG 15

Glass partition brace 0°



HDG 16

Glass partition brace 0°




HDG 17

Glass partition brace 90° double




HDG 18

Glass partition brace 90° single




HDG 19

Glass partition brace 135° Double




HDG 20

Glass partition brace 135° single



HDG 21

Glass elliptical partition brace 180° double



HDG 22

Glass partition brace 180° single

Glass Handles

Behind this ultimate simplicity lies uncompromising strength. Our glass handles feature embedded bolts and a reinforced structure to ensure a secure and reliable connection to the glass surface.



HDG 23 HDG 24 HDG 25 HDG 26 HDG 27 HDG 28



HDG 29 HDG 30 HDG 31 HDG 32 HDG 33 HDG 34



HDG 35 HDG 36 HDG 37 HDG 38 HDG 39



HDG 40 HDG 41 HDG 42 HDG 43 HDG 44



HDG 45 HDG 46 HDG 47 HDG 48 HDG 49 HDG 50



HDG 51 HDG 52 HDG 53 HDG 54 HDG 55



HDG 56



HDG 57



HDG 58



HDG 59



HDG 60



HDG 61



HDG 62




HDG 63



HDG 64

Hinges & Sliding stay

We abandon inefficient friction and adopt precise ball or sliding bearing structure, supplemented by long-term lubrication technology to greatly reduce wear.



Glass clamp

The user experience of a door is ultimately determined by its hinges. We abandon inefficient friction and adopt a precise ball or sliding bearing structure, supplemented by long-term lubrication technology, to greatly reduce wear.



HDH 37



HDH 38



HDH 39



HDH 40



HDH 41



HDH 42



HDH 43



HDH 44



HDH 45



HDH 46



HDH 47



HDH 48



HDH 49



HDH 50



HDH 51



HDH 52



HDG 65



HDG 66



HDG 67



HDG 68



HDG 69



HDG 70



HDG 71



HDG 72



HDG 73



HDG 74



HDG 75



HDG 76

Corner joint

Our corner brackets are precisely punched and positioned to ensure a perfect fit with the profile and seamless installation.



14.7*26.1mm

HDJ 01



10.4*24mm

HDJ 02



8*21.8mm

HDJ 03



14*23.7mm

HDJ 04



9.8*22.4mm

HDJ 05



30.3*36mm

HDJ 06



13.6*35.8mm

HDJ 07



10.2*23.2mm

HDJ 08



14.4*28mm

HDJ 10



13.6*33.6mm

HDJ 11



10.4*40mm

HDJ 12



10.4*40mm

HDJ 13



14.4*28mm

HDJ 14



13.6*33.8mm

HDJ 15



8.1*35.5mm

HDJ 17



11.4*33.6mm

HDJ 18



10.6*24mm

HDJ 19



13.6*27.8mm

HDJ 20



30*35.5mm

HDJ 21



42.7*26.3mm

HDJ 22



10.9*26mm

HDJ 25



13.7*23mm

HDJ 26



14*23mm

HDJ 27



8*21.5mm

HDJ 30



13*36mm

HDJ 37



Sealing Strip




Our waterproof strips, with their excellent elasticity and resilience, tightly fill every gap and effectively block rain, dust and noise.





Weather strip

The use of highly aging-resistant and weather-resistant materials ensures long-term sealing performance in extreme heat and cold, safeguarding the eternal comfort inside the building.



 <p>HDS 01</p>	<p>0° Waterproof</p>  <p>Glass Door Fixed Panel</p>	 <p>HDS 02</p>	<p>Waterproof F-bar</p>  <p>Glass Door Fixed Panel</p>
 <p>HDS 03</p>	<p>Waterproof U-bar</p>  <p>Wall</p>	 <p>HDS 04</p>	<p>180° Magnetic</p>  <p>Glass Door Fixed Panel</p>
 <p>HDS 05</p>	<p>180° Waterproof</p>  <p>Fixed Panel Glass Door</p>	 <p>HDS 06</p>	<p>135° Magnetic</p> 



- | | | | | |
|-------|---------|--------|--------|---------|
| 5*5mm | 5*6mm | 5*10mm | 5*12mm | 7*4.5mm |
| 7*5mm | 7*6mm | 7*8mm | 7*10mm | 7*15mm |
| 9*9mm | 11*10mm | | | |

Caster Wheels

The precise bearing structure and solid wheel material ensure smooth, quiet and stable movement, greatly improving space adjustment and work efficiency.



HDW 01



HDW 02



HDW 03



HDW 04



HDW 05



HDW 06



HDW 07



HDW 08



HDW 09



HDW 10



HDW 11



HDW 12



HDW 13



HDW 14



HDW 15



HDW 16



HDW 17



HDW 18



HDW 19



HDW 20



HDW 21